



Using jemalloc to Optimize Memory Allocation

Release 202503.02

Sentieon, Inc

Jan 27, 2026

Contents

| | | |
|----------|--|----------|
| 1 | Introduction | 1 |
| 2 | Background | 1 |
| 3 | Installation | 2 |
| 3.1 | RHEL/CentOS 8.x | 2 |
| 3.2 | RHEL/CentOS 7.x | 2 |
| 3.3 | Ubuntu 20.04 | 2 |
| 3.4 | Ubuntu 18.04 | 2 |
| 3.5 | Other systems without a prebuilt package | 2 |
| 4 | Loading jemalloc in a Sentieon pipeline | 2 |

1 Introduction

This document describes the proper steps to install `libjemalloc.so` that is optimized for a user's Linux system. For any questions regarding this document, please contact Sentieon support at support@sentieon.com.

2 Background

`jemalloc` is a memory allocator, optimized for high memory allocation performance and fewer memory fragments in multi-thread scenarios. For more general information about `jemalloc`, please refer to <https://github.com/jemalloc/jemalloc>

Sentieon recommends using `jemalloc` to improve memory management and overall performance in Sentieon applications, especially Sentieon `bwa-mem`.

3 Installation

Sentieon recommends installing a pre-built `libjemalloc.so`. Users may need root access to complete the installation.

3.1 RHEL/CentOS 8.x

```
yum install epel-release
yum install jemalloc
```

By default, the `libjemalloc.so` is installed at

```
/usr/lib64/libjemalloc.so.2
```

3.2 RHEL/CentOS 7.x

```
yum install epel-release
yum install jemalloc
```

By default, the `libjemalloc.so` is installed at

```
/usr/lib64/libjemalloc.so.1
```

3.3 Ubuntu 20.04

```
apt update
apt install libjemalloc2
```

By default, the `libjemalloc.so` is installed at

```
/usr/lib/x86_64-linux-gnu/libjemalloc.so.2
```

3.4 Ubuntu 18.04

```
apt update
apt install libjemalloc1
```

By default, the `libjemalloc.so` is installed at

```
/usr/lib/x86_64-linux-gnu/libjemalloc.so.1
```

3.5 Other systems without a prebuilt package

Please refer to `INSTALL.md` on the `jemalloc` GitHub page, <https://github.com/jemalloc/jemalloc>, for more information on how to build and install `jemalloc`.

4 Loading jemalloc in a Sentieon pipeline

The `LD_PRELOAD` environment variable can be used to load the `jemalloc` library in Sentieon at run time.

For example, on a CentOS 8.x system, you can use the following code to set this environment variable before running the Sentieon tools:

```
export LD_PRELOAD=/usr/lib64/libjemalloc.so.2
```



©Sentieon Inc.

160 E Tasman Dr STE 208, San Jose, CA 95134-1619

www.sentieon.com