



Using jemalloc to Optimize Memory Allocation

Release 202112.06

Sentieon, Inc

Nov 07, 2022

Contents

1	Introduction	1
2	Background	1
3	Installation	2
3.1	RHEL/CentOS 8.x	2
3.2	RHEL/CentOS 7.x	2
3.3	Ubuntu 20.04	2
3.4	Ubuntu 18.04	2
3.5	Other systems without a prebuilt package	2
4	Loading jemalloc in a Sentieon pipeline	3

1 Introduction

This document describes the proper steps to install libjemalloc.so that is optimized for a user's Linux system. For any questions regarding this document, please contact Sentieon support at support@sentieon.com.

2 Background

jemalloc is a memory allocator, optimized for high memory allocation performance and fewer memory fragments in multi-thread scenarios. For more general information about jemalloc, please refer to <https://github.com/jemalloc/jemalloc>

Sentieon recommends using jemalloc to improve memory management and overall performance in Sentieon applications, especially Sentieon bwa-mem.

3 Installation

Sentieon recommends installing a pre-built `libjemalloc.so`. Users may need root access to complete the installation.

3.1 RHEL/CentOS 8.x

```
yum install epel-release
yum install jemalloc
```

By default, the `libjemalloc.so` is installed at

```
/usr/lib64/libjemalloc.so.2
```

3.2 RHEL/CentOS 7.x

```
yum install epel-release
yum install jemalloc
```

By default, the `libjemalloc.so` is installed at

```
/usr/lib64/libjemalloc.so.1
```

3.3 Ubuntu 20.04

```
apt update
apt install libjemalloc2
```

By default, the `libjemalloc.so` is installed at

```
/usr/lib/x86_64-linux-gnu/libjemalloc.so.2
```

3.4 Ubuntu 18.04

```
apt update
apt install libjemalloc1
```

By default, the `libjemalloc.so` is installed at

```
/usr/lib/x86_64-linux-gnu/libjemalloc.so.1
```

3.5 Other systems without a prebuilt package

Please refer to `INSTALL.md` on the `jemalloc` GitHub page, <https://github.com/jemalloc/jemalloc>, for more information on how to build and install `jemalloc`.

4 Loading jemalloc in a Sentieon pipeline

The LD_PRELOAD environment variable can be used to load the jemalloc library in Sentieon at run time.

For example, on a CentOS 8.x system, you can use the following code to set this environment variable before running the Sentieon tools:

```
export LD_PRELOAD=/usr/lib64/libjemalloc.so.2
```